

RoHS TEST REPORT

Applicant V-TAC Exports Limited
Address Room No 301, Kam On Building, 176A Queens Road Central, Central, Hong Kong
Manufacturer V-TAC Exports Limited
Address Building A, Jinkaijin, Industrial Park, Shilongzai Private industrial Area, Shiyan, Bao'an, Shenzhen, China
Submitted sample LED FLOOD LIGHT
Model VT-253D VT-252D VT-503D
VT-502D VT-1003D VT-1002D

Test Required: 1) As required by client to determine the Lead, Cadmium, Mercury and Hexavalent Chromium content in the submitted sample.

2) Determine the PBB's & PBDE's in the submitted sample

Test Method: 1) With reference to method EPA3052 or US EPA 3050B, by acid digestion and determined by ICP-AES or AAS
2) With reference to method EPA3052 or EPA3050B or BSEN1122: 2002 Method B, by acid digestion and determined by ICP-AES or AAS
3) With reference method to US EPA3052, by acid digestion and determined by ICP-AES or AAS
4) With reference to US EPA 3060A & 7196A or ISO 3613, Analysis is performed by UL-VIS
5) With reference to US EPA 3540C or EPA8081, Analysis is performed by GC-MS and HPLC-DAD

Test Results: please refer to page 4 to 14

Conclusion: When tested as specified, the results shown on the report do not exceed the limit in commission decision of 01 July 2011 amending Directive 2011/65/EC (EU) 2015/863(RoHS)

Compiled by(+signature): Ken Ruan
Ken Ruan

Approved by(+signature): Wilson Wei
Wilson Wei

This document shall not be reproduced excepted in full or with written approval by the laboratory

SHENZHEN TOKE Laboratory Co., Ltd.

Guantian Village, Shiyan Town, Bao'an District, Shenzhen, Guangdong, P.R.C.

Web site: [Http://: www.toke-test.com](http://www.toke-test.com)

RoHS TEST REPORT

TOKE represents to the client that testing is done in accordance with standard procedures as applicable and that test instruments used has been calibrated with the standards traceable to the national and international reference standards based on SI Units.

TOKE's reports apply only to the specific samples tested under conditions. It is manufacturer's responsibility to ensure that additional production units of this model are manufactured with the identical electrical and mechanical components. TOKE shall have no liability for any declarations, inferences or generalizations drawn by the client or others from TOKE issued reports.

TOKE's reports must not be used by the client to claim product endorsement by the authorities or any agency of the Government.

This report is the confidential property of the client. As a mutual protection to the clients, the public and TOKE-self, extracts from the test report shall not be reproduced except in full with TOKE's authorized written approval.



RoHS TEST REPORT

Contents		
1	TEST RESULT	LED FLOOD LIGHT
2	Appendix I	Photos

Description of the sample

The equipment is a LED FLOOD LIGHT

Disclaimer:

- ★ The integration report is not equivalent to the test report.
- ★ **TOKE** does not take responsibility for the authenticity of all the test data listed in integration report, which are submitted by the applicants.
- ★ The applicants are responsible for all the legal obligation caused by the inaccuracy and invalidity of the original report.
- ★ If this disclaimer contradicts any other terms and conditions of TOKE, this disclaimer will prevail.




**RoHS TEST REPORT
TEST RESULT**

Item	1 (ppm)	2 (ppm)	3 (ppm)	4 (ppm)	5 (ppm)	RoHS Limit (ppm)
Chromium(Cr+6)	N.D.	Negative	N.D.	N.D.	N.D.	1000
Cadmium(Cd)	N.D.	N.D.	N.D.	N.D.	N.D.	100
Mercury(Hg)	Negative	N.D.	N.D.	N.D.	N.D.	1000
Lead(Pb)	47	N.D.	N.D.	N.D.	N.D.	1000

Item	6 (ppm)	7 (ppm)	8 (ppm)	9 (ppm)	10.1 (ppm)	RoHS Limit (ppm)
Chromium(Cr+6)	N.D.	N.D.	Negative	Negative	N.D.	1000
Cadmium(Cd)	N.D.	N.D.	N.D.	N.D.	N.D.	100
Mercury(Hg)	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Lead(Pb)	4	N.D.	N.D.	N.D.	N.D.	1000

Item	10.2 (ppm)	10.3 (ppm)	10.4 (ppm)	10.5 (ppm)	10.6 (ppm)	RoHS Limit (ppm)
Chromium(Cr+6)	--	Negative	Negative	Negative	Negative	1000
Cadmium(Cd)	--	N.D.	N.D.	N.D.	N.D.	100
Mercury(Hg)	--	N.D.	N.D.	N.D.	N.D.	1000
Lead(Pb)	--	N.D.	15	N.D.	9	1000

Item	10.7 (ppm)	11.1 (ppm)	11.2 (ppm)	12.1 (ppm)	12.2 (ppm)	RoHS Limit (ppm)
Chromium(Cr+6)	N.D.	N.D.	N.D.	Negative	N.D.	1000
Cadmium(Cd)	N.D.	N.D.	N.D.	N.D.	N.D.	100
Mercury(Hg)	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Lead(Pb)	N.D.	N.D.	N.D.	N.D.	8	1000



RoHS TEST REPORT

Item	13 (ppm)	14.1 (ppm)	14.2 (ppm)	15.1 (ppm)	15.2 (ppm)	16.1 (ppm)	RoHS Limit (ppm)
Chromium(Cr+6)	N.D.	N.D.	Negative	N.D.	--	Negative	1000
Cadmium(Cd)	N.D.	N.D.	N.D.	N.D.	--	N.D.	100
Mercury(Hg)	N.D.	N.D.	N.D.	N.D.	--	N.D.	1000
Lead(Pb)	N.D.	N.D.	N.D.	215	--	8.9	1000

Item	16.2 (ppm)	17 (ppm)	18 (ppm)	19 (ppm)	RoHS Limit (ppm)
Chromium(Cr+6)	N.D.	--	N.D.	N.D.	1000
Cadmium(Cd)	N.D.	--	N.D.	N.D.	100
Mercury(Hg)	N.D.	--	N.D.	N.D.	1000
Lead(Pb)	14	--	N.D.	N.D.	1000

Item	20 (ppm)	21 (ppm)	22 (ppm)				RoHS Limit (ppm)
Chromium(Cr+6)	N.D.	N.D.	Negative				1000
Cadmium(Cd)	N.D.	N.D.	N.D.				100
Mercury(Hg)	N.D.	N.D.	N.D.				1000
Lead(Pb)	N.D.	N.D.	N.D.				1000



RoHS TEST REPORT

Item	1 (ppm)	2 (ppm)	3 (ppm)	4 (ppm)	RoHS Limit (ppm)
Total PBBs	N.D.	--	--	N.D.	1000
Monobromobiphenyl	N.D.	N.D.	N.D.	N.D.	
Dibromobiphenyl	N.D.	N.D.	N.D.	N.D.	
Tribromobiphenyl	N.D.	N.D.	N.D.	N.D.	
Tetrabromobiphenyl	N.D.	N.D.	N.D.	N.D.	
Pentabromobiphenyl	N.D.	N.D.	N.D.	N.D.	
Hexabromobiphenyl	N.D.	N.D.	N.D.	N.D.	
Heptabromobiphenyl	N.D.	N.D.	N.D.	N.D.	
Octabromobiphenyl	N.D.	N.D.	N.D.	N.D.	
Nonabromobiphenyl	N.D.	N.D.	N.D.	N.D.	
Decabromobiphenyl	N.D.	N.D.	N.D.	N.D.	
Total PBDEs	--	--	--	N.D.	1000
Monobromobiphenyl ether	N.D.	N.D.	N.D.	N.D.	
Dibromobiphenyl ether	N.D.	N.D.	N.D.	N.D.	
Tribromobiphenyl ether	N.D.	N.D.	N.D.	N.D.	
Tetrabromobiphenyl ether	N.D.	N.D.	N.D.	N.D.	
Pentabromobiphenyl ether	N.D.	N.D.	N.D.	N.D.	
Hexabromobiphenyl ether	N.D.	N.D.	N.D.	N.D.	
Heptabromobiphenyl ether	N.D.	N.D.	N.D.	N.D.	
Octabromobiphenyl ether	N.D.	N.D.	N.D.	N.D.	
Nonabromobiphenyl ether	N.D.	N.D.	N.D.	N.D.	
Decabromobiphenyl ether	N.D.	N.D.	N.D.	N.D.	



RoHS TEST REPORT

Item	5 (ppm)	6 (ppm)	7 (ppm)	8 (ppm)	RoHS Limit (ppm)
Total PBBs	N.D.	N.D.	N.D.	--	1000
Monobromobiphenyl	N.D.	N.D.	N.D.	--	
Dibromobiphenyl	N.D.	N.D.	N.D.	--	
Tribromobiphenyl	N.D.	N.D.	N.D.	--	
Tetrabromobiphenyl	N.D.	N.D.	N.D.	--	
Pentabromobiphenyl	N.D.	N.D.	N.D.	--	
Hexabromobiphenyl	N.D.	N.D.	N.D.	--	
Heptabromobiphenyl	N.D.	N.D.	N.D.	--	
Octabromobiphenyl	N.D.	N.D.	N.D.	--	
Nonabromobiphenyl	N.D.	N.D.	N.D.	--	
Decabromobiphenyl	N.D.	N.D.	N.D.	--	
Total PBDEs	N.D.	N.D.	N.D.	--	
Monobromobiphenyl ether	N.D.	N.D.	N.D.	--	
Dibromobiphenyl ether	N.D.	N.D.	N.D.	--	
Tribromobiphenyl ether	N.D.	N.D.	N.D.	--	
Tetrabromobiphenyl ether	N.D.	N.D.	N.D.	--	
Pentabromobiphenyl ether	N.D.	N.D.	N.D.	--	
Hexabromobiphenyl ether	N.D.	N.D.	N.D.	--	
Heptabromobiphenly ether	N.D.	N.D.	N.D.	--	
Octabromobiphenyl ether	N.D.	N.D.	N.D.	--	
Nonabromobiphenyl ether	N.D.	N.D.	N.D.	--	
Decabromobiphenyl ether	N.D.	N.D.	N.D.	--	



RoHS TEST REPORT

Item	9 (ppm)	10.1 (ppm)	10.2 (ppm)	10.3 (ppm)	RoHS Limit (ppm)
Total PBBs	--	N.D.	--	--	1000
Monobromobiphenyl	--	N.D.	--	--	
Dibromobiphenyl	--	N.D.	--	--	
Tribromobiphenyl	--	N.D.	--	--	
Tetrabromobiphenyl	--	N.D.	--	--	
Pentabromobiphenyl	--	N.D.	--	--	
Hexabromobiphenyl	--	N.D.	--	--	
Heptabromobiphenyl	--	N.D.	--	--	
Octabromobiphenyl	--	N.D.	--	--	
Nonabromobiphenyl	--	N.D.	--	--	
Decabromobiphenyl	--	N.D.	--	--	
Total PBDEs	--	N.D.	--	--	
Monobromobiphenyl ether	--	N.D.	--	--	
Dibromobiphenyl ether	--	N.D.	--	--	
Tribromobiphenyl ether	--	N.D.	--	--	
Tetrabromobiphenyl ether	--	N.D.	--	--	
Pentabromobiphenyl ether	--	N.D.	--	--	
Hexabromobiphenyl ether	--	N.D.	--	--	
Heptabromobiphenly ether	--	N.D.	--	--	
Octabromobiphenyl ether	--	N.D.	--	--	
Nonabromobiphenyl ether	--	N.D.	--	--	
Decabromobiphenyl ether	--	N.D.	--	--	



RoHS TEST REPORT

Item	10.4 (ppm)	10.5 (ppm)	10.6 (ppm)	10.7 (ppm)	RoHS Limit (ppm)
Total PBBs	--	--	--	N.D.	1000
Monobromobiphenyl	--	--	--	N.D.	
Dibromobiphenyl	--	--	--	N.D.	
Tribromobiphenyl	--	--	--	N.D.	
Tetrabromobiphenyl	--	--	--	N.D.	
Pentabromobiphenyl	--	--	--	N.D.	
Hexabromobiphenyl	--	--	--	N.D.	
Heptabromobiphenyl	--	--	--	N.D.	
Octabromobiphenyl	--	--	--	N.D.	
Nonabromobiphenyl	--	--	--	N.D.	
Decabromobiphenyl	--	--	--	N.D.	
Total PBDEs	--	--	--	N.D.	
Monobromobiphenyl ether	--	--	--	N.D.	
Dibromobiphenyl ether	--	--	--	N.D.	
Tribromobiphenyl ether	--	--	--	N.D.	
Tetrabromobiphenyl ether	--	--	--	N.D.	
Pentabromobiphenyl ether	--	--	--	N.D.	
Hexabromobiphenyl ether	--	--	--	N.D.	
Heptabromobiphenly ether	--	--	--	N.D.	
Octabromobiphenyl ether	--	--	--	N.D.	
Nonabromobiphenyl ether	--	--	--	N.D.	
Decabromobiphenyl ether	--	--	--	N.D.	



RoHS TEST REPORT

Item	11.1 (ppm)	11.2 (ppm)	12.1 (ppm)	12.2 (ppm)	RoHS Limit (ppm)
Total PBBs	N.D.	N.D.	--	N.D.	1000
Monobromobiphenyl	N.D.	N.D.	--	N.D.	
Dibromobiphenyl	N.D.	N.D.	--	N.D.	
Tribromobiphenyl	N.D.	N.D.	--	N.D.	
Tetrabromobiphenyl	N.D.	N.D.	--	N.D.	
Pentabromobiphenyl	N.D.	N.D.	--	N.D.	
Hexabromobiphenyl	N.D.	N.D.	--	N.D.	
Heptabromobiphenyl	N.D.	N.D.	--	N.D.	
Octabromobiphenyl	N.D.	N.D.	--	N.D.	
Nonabromobiphenyl	N.D.	N.D.	--	N.D.	
Decabromobiphenyl	N.D.	N.D.	--	N.D.	
Total PBDEs	N.D.	N.D.	--	N.D.	
Monobromobiphenyl ether	N.D.	N.D.	--	N.D.	
Dibromobiphenyl ether	N.D.	N.D.	--	N.D.	
Tribromobiphenyl ether	N.D.	N.D.	--	N.D.	
Tetrabromobiphenyl ether	N.D.	N.D.	--	N.D.	
Pentabromobiphenyl ether	N.D.	N.D.	--	N.D.	
Hexabromobiphenyl ether	N.D.	N.D.	--	N.D.	
Heptabromobiphenly ether	N.D.	N.D.	--	N.D.	
Octabromobiphenyl ether	N.D.	N.D.	--	N.D.	
Nonabromobiphenyl ether	N.D.	N.D.	--	N.D.	
Decabromobiphenyl ether	N.D.	N.D.	--	N.D.	



RoHS TEST REPORT

Item	13 (ppm)	14.1 (ppm)	14.2 (ppm)	15.1 (ppm)	RoHS Limit (ppm)
Total PBBs	--	--	--	N.D.	1000
Monobromobiphenyl	N.D.	N.D.	N.D.	N.D.	
Dibromobiphenyl	N.D.	N.D.	N.D.	N.D.	
Tribromobiphenyl	N.D.	N.D.	N.D.	N.D.	
Tetrabromobiphenyl	N.D.	N.D.	N.D.	N.D.	
Pentabromobiphenyl	N.D.	N.D.	N.D.	N.D.	
Hexabromobiphenyl	N.D.	N.D.	N.D.	N.D.	
Heptabromobiphenyl	N.D.	N.D.	N.D.	N.D.	
Octabromobiphenyl	N.D.	N.D.	N.D.	N.D.	
Nonabromobiphenyl	N.D.	N.D.	N.D.	N.D.	
Decabromobiphenyl	N.D.	N.D.	N.D.	N.D.	
Total PBDEs	--	--	--	N.D.	
Monobromobiphenyl ether	N.D.	N.D.	N.D.	N.D.	
Dibromobiphenyl ether	N.D.	N.D.	N.D.	N.D.	
Tribromobiphenyl ether	N.D.	N.D.	N.D.	N.D.	
Tetrabromobiphenyl ether	N.D.	N.D.	N.D.	N.D.	
Pentabromobiphenyl ether	N.D.	N.D.	N.D.	N.D.	
Hexabromobiphenyl ether	N.D.	N.D.	N.D.	N.D.	
Heptabromobiphenyl ether	N.D.	N.D.	N.D.	N.D.	
Octabromobiphenyl ether	N.D.	N.D.	N.D.	N.D.	

RoHS TEST REPORT

Nonabromobiphenyl ether	N.D.	N.D	N.D.	N.D.	
Decabromobiphenyl ether	N.D.	N.D	N.D.	N.D.	

Item	15.2 (ppm)	16.1 (ppm)	16.2 (ppm)	17 (ppm)	RoHS Limit (ppm)
Total PBBs	--	N.D.	N.D.	--	1000
Monobromobiphenyl	--	N.D.	N.D.	--	
Dibromobiphenyl	--	N.D.	N.D.	--	
Tribromobiphenyl	--	N.D.	N.D.	--	
Tetrabromobiphenyl	--	N.D.	N.D.	--	
Pentabromobiphenyl	--	N.D.	N.D.	--	
Hexabromobiphenyl	--	N.D.	N.D.	--	
Heptabromobiphenyl	--	N.D.	N.D.	--	
Octabromobiphenyl	--	N.D.	N.D.	--	
Nonabromobiphenyl	--	N.D.	N.D.	--	
Decabromobiphenyl	--	N.D.	N.D.	--	
Total PBDEs	--	N.D.	N.D.	--	
Monobromobiphenyl ether	--	N.D.	N.D.	--	
Dibromobiphenyl ether	--	N.D.	N.D.	--	
Tribromobiphenyl ether	--	N.D.	N.D.	--	
Tetrabromobiphenyl ether	--	N.D.	N.D.	--	
Pentabromobiphenyl ether	--	N.D.	N.D.	--	
Hexabromobiphenyl ether	--	N.D.	N.D.	--	
Heptabromobiphenyl ether	--	N..	N.D.	--	
Octabromobiphenyl ether	--	N.D.	N.D.	--	
Nonabromobiphenyl ether	--	N.D.	N.D.	--	
Decabromobiphenyl ether	--	N.D.	N.D.	--	



RoHS TEST REPORT

Item	18 (ppm)	19 (ppm)	20 (ppm)	21 (ppm)	RoHS Limit (ppm)
Total PBBs	--	--	--	N.D.	1000
Monobromobiphenyl	N.D.	N.D.	N.D.	N.D.	
Dibromobiphenyl	N.D.	N.D.	N.D.	N.D.	
Tribromobiphenyl	N.D.	N.D.	N.D.	N.D.	
Tetrabromobiphenyl	N.D.	N.D.	N.D.	N.D.	
Pentabromobiphenyl	N.D.	N.D.	N.D.	N.D.	
Hexabromobiphenyl	N.D.	N.D.	N.D.	N.D.	
Heptabromobiphenyl	N.D.	N.D.	N.D.	N.D.	
Octabromobiphenyl	N.D.	N.D.	N.D.	N.D.	
Nonabromobiphenyl	N.D.	N.D.	N.D.	N.D.	
Decabromobiphenyl	N.D.	N.D.	N.D.	N.D.	
Total PBDEs	--	--	--	N.D.	1000
Monobromobiphenyl ether	N.D.	N.D.	N.D.	N.D.	
Dibromobiphenyl ether	N.D.	N.D.	N.D.	N.D.	
Tribromobiphenyl ether	N.D.	N.D.	N.D.	N.D.	
Tetrabromobiphenyl ether	N.D.	N.D.	N.D.	N.D.	
Pentabromobiphenyl ether	N.D.	N.D.	N.D.	N.D.	
Hexabromobiphenyl ether	N.D.	N.D.	N.D.	N.D.	
Heptabromobiphenly ether	N.D.	N.D.	N.D.	N.D.	
Octabromobiphenyl ether	N.D.	N.D.	N.D.	N.D.	
Nonabromobiphenyl ether	N.D.	N.D.	N.D.	N.D.	
Decabromobiphenyl ether	N.D.	N.D.	N.D.	N.D.	



RoHS TEST REPORT

Item	22 (ppm)	(ppm)	(ppm)	(ppm)	RoHS Limit (ppm)
Total PBBs	--				1000
Monobromobiphenyl	--				
Dibromobiphenyl	--				1000
Tribromobiphenyl	--				
Tetrabromobiphenyl	--				
Pentabromobiphenyl	--				
Hexabromobiphenyl	--				
Heptabromobiphenyl	--				
Octabromobiphenyl	--				
Nonabromobiphenyl	--				
Decabromobiphenyl	--				
Total PBDEs	--				
Monobromobiphenyl ether	--				
Dibromobiphenyl ether	--				
Tribromobiphenyl ether	--				
Tetrabromobiphenyl ether	--				
Pentabromobiphenyl ether	--				
Hexabromobiphenyl ether	--				
Heptabromobiphenly ether	--				
Octabromobiphenyl ether	--				
Nonabromobiphenyl ether	--				
Decabromobiphenyl ether	--				

Note:

N.D. = Not Detected, less than the value of Detection limit

ppm = mg/kg, based on the dry weight of tested sample

Negative = Absence of Cr+6 coating

--" = Not regulated

---" = Not conducted

<" = Less than



RoHS TEST REPORT

N O	SAMPLES NAME	REPORT NO.	TEST NO	DESCRIPTION
1	Tin Unleaded wire	CANEC1100589784	1	Silver metal wire
2	copper clad laminate ffor flexible printed wiring board	SH9435308/ CHEM	2	
3	PVC WIRE	GZ09111372A/CHEM	3	PVC Grain Black
4	Screen printing ink	CANEC1002187459	4	Dk-brown ink
5	Vacuum plating	GZ090872517/CHEM	5	Silvery plated plastic
6	White Zinc Screw	CANEC1000222454	6	Silvery plated metal screw
7	Nickel Screw	Canec0946854511	7	Silver-gray plated metal screw
8	PE bag	GZ1012115471.CHEM	8	Transparent plastic
9	Wire	CANEC0744513452	9	Black plastic w/ grey printing(jacket)
10	Aluminium electrolytic capacitor	CAN10-017853.001	10.1	Grey foil
		CAN10-017773.002	10.2	Silver-grey foil
		CAN10-016753.003	10.3	Silvery metal pin
		CAN10-015783.004	10.4	Silvery metal shell
		CAN10-077463.005	10.5	Lt-brown paper sheet w/ liquid
		CAN10-016063.006	10.6	Black plastic w/ white printing (shell)
		CAN10-014743.007	10.7	Black rubber (cover)
11	Carbon film resistor	CAN11-025788.003	11.1	Silvery metal pin
		CAN11-023574.004	11.2	Brown body with color printing
12	Cable jacket	TWNC00124539S2	12.1	Black
		TWNC00144740S2	12.2	Red
13	Conductor	TWNC00135835S1	13	Tinned annedled copper conductor
14	Solder paste	SH90335015/CHEN	14.1	Silvery dope
		SH87452158/CHEN	14.2	Grey mud
15	Printed circuit board	KA/2010/41245	15.1	Silver/ white PCB
		KA/2009/81224	15.2	Green PCB
16	scaling powder	CE/2009/B5909	16.1	Transparent liquid
		CE/2009/B5974	16.2	Transparent yellow liquid
17	Panel	KA-2009-C0234	17	
18	Zinc powder	Canec6587452134	18	Silver white powder



RoHS TEST REPORT

19	PC	CANEC0985917477	19	Black plastic
20	Epoxy resin	CE/2009/B5542	20	Translucent
21	Capacitance	TWNC00345235S1	21	Blue metal film
22	Branch pipe	GZE22733695.CHEM	22	Black




RoHS TEST REPORT

**APPENDIX
PHOTOGRAPHS OF EUT**

PHOTO 1	PHOTO 2
	
PHOTO 3	PHOTO 4
	
PHOTO 5	
	

-----End of test report-----



RoHS TEST REPORT

Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the SHENZHEN TOKE LABORATORY CO.,LTD. (the “Company”) solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the Company and any person, firm or company requesting its services (the “Clients”).
2. Any report issued by Company as a result of this application for testing services (the “Report”) shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
4. The Report refers only to the sample tested and does not apply to the bulk, unless the sampling has been carried out by the Company and is stated as such in the Report.
5. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
6. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
7. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
8. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of ten years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

